

WWW.ZARIFCARPETS.COM

2026

HOTEL & COMMERCIAL CARPET COLLECTION



ZarifCarpets



BRAND HERITAGE & ARCHITECTURAL BACKGROUND

ZarifCarpets represents more than four decades of industrial expertise shaped by design intelligence, performance engineering, and architectural thinking.


Founded in 1984 in Isfahan, a city renowned for its legacy of art, architecture, and craftsmanship, the brand was established as part of Zarif Mosavar Company, beginning its journey with industrial scale needle punched carpet production.

From the very beginning, the vision extended beyond mass manufacturing. With an annual production capacity of 50 million square meters, the company developed a robust industrial infrastructure capable of supporting large scale architectural projects, public spaces, and high-traffic environments.

Over time, the product portfolio evolved strategically to respond to the needs of contemporary architecture, expanding into:

- **Tufted carpets** with custom design capabilities
- **Needle-felt carpets** for high-traffic and functional applications
- **Modular carpet tiles** for commercial and office spaces
- **Artificial grass solutions** for semi-outdoor and functional areas

Today, with a sustained production capacity of **50 million square meters** and a strategic roadmap to reach **100 million square meters by 2030**, Zarif Carpets stands as a trusted partner for architectural, commercial, and hospitality projects worldwide.





ABOUT ZARIFMOSAVAR

At **ZarifCarpets**, a carpet is more than a floor covering. In hospitality and commercial environments, it is a defining element of spatial identity, comfort, and long-term performance.

Carpets for hotels and commercial spaces must seamlessly combine aesthetics, durability, safety, and technical reliability, **performing consistently under continuous heavy traffic and demanding operational conditions.**

Zarif delivers **project-oriented carpet solutions** developed specifically for hospitality and commercial architecture. As a specialized manufacturer of **project-based carpets**, the company focuses on meeting the functional, technical, and design requirements of large-scale developments.

Backed by strong technical expertise and advanced industrial manufacturing capabilities, Zarif provides **end-to-end solutions**, including custom design, production, printing, and professional installation **supporting architects, designers, and developers from concept to completion.**





CUSTOM DESIGN & PRINTING

Every project carries its own architectural language. Zarif develops **fully customized carpet designs** aligned with interior concepts, color palettes, and spatial functions.

Through **advanced printing technologies**, Zarif ensures exceptional color accuracy and pattern consistency across the entire project regardless of scale or complexity.

For architects and interior designers, carpet selection is a **strategic design decision**, not merely a decorative choice. Hotel and commercial carpets must respond simultaneously to:

- Architectural concepts and spatial narratives
- Interior branding and identity consistency
- Zoning and functional differentiation
- Long-term performance under continuous heavy traffic

In hospitality projects, carpets play a critical role in **wayfinding, spatial rhythm, acoustic comfort, and the overall perception of quality**, contributing directly to the guest experience and the architectural identity of the space.

MATERIAL & CONSTRUCTION

Zarif hotel and commercial carpets are manufactured using **Polyamide (PA / Nylon) fibers**, internationally recognized as the optimal material for high-traffic environments.

Polyamide fibers provide **superior abrasion resistance, resilience, and long-term appearance retention**, ensuring consistent performance throughout the lifecycle of the carpet.

Zarif carpets are engineered to address the primary technical concerns of **architects, interior designers, and hotel operators**, balancing design intent with operational reliability.

Key technical considerations for hospitality and commercial carpets include **fire performance, durability, dimensional stability, acoustic behavior, and maintenance efficiency**.

Typical Technical Parameters

- **Fiber:** Polyamide (PA)
- **Construction:** Tufted (**Cut**)
- **Pile Height:** 4 - 12 ± 0.5 mm
- **Pile Weight:** 450 - 1000 ± 50 gr
- **Total Weight:** 1450 - 2200 ± 50 gr
- **Gauge:** 1/10
- **Finishing:** Felt PA or Felt PES
- **Density:** Optimized for heavy traffic

Polyamide (PA)
Tufted (**Loop**)
4 - 5 ± 0.5 mm
450 - 900 ± 50 gr
1500 - 2200 ± 50 gr
1/10

Fire Performance

Zarif carpets are produced with flame-retardant characteristics, making them suitable for hotel and commercial environments where fire safety regulations and compliance requirements are critical.

Standard Collection

A durable, high-performance carpet collection designed for high-traffic commercial spaces. Made with polyamide fibers, it offers a refined look, strong abrasion resistance, certified flame retardancy, and electrostatic control.

Certified by the following accredited institutions:

- . Iran National Standards Organization (Polymer & Petrochemical Research Center)
- . Fara Azmoon Arisa Laboratory (Comprehensive Test)
- . Amir Kabir University of Technology (Electrostatic resistance test)
- . Building and Housing Research Center (Accredited by NACI)

All test results confirm the reliable and professional performance of this collection in demanding interior applications.

Characteristic	Reference Standadr No.	Acceptance Range	Test Result
Composition testing	ISO/TR 11827:2012	-	Pile fibers: %100 polyamide Background fabric: %100 Polyamide Weaving fabric Coating layer: %100 Polyester non-woven fabric
Determination of total mass per unit area	ISO 8543:1998	-	1600 gr/m ²
Determination of total thickness	ISO 24340:2006	-	9.5 mm
Determination of number of tufts and or loops per unit area	ISO 1763:2020	-	200000 (STICH 50)
Determine the height of the fluf above the background	ISIRI 1143	-	6 mm
Determination of total pile mass per unit area	ISO 8543:1998	-	700 gr/m ²
Colour fastness to washing with soap	ISO 105-C10:2006	≥ 4	Colour change degree: 4-5 The degree of staining on the DW: 5
Colour fastness to artificial light (Xenon arc fading lamp test)	ISO 105-B02:2013	≥ 4	5
Colour fastness to rubbing: Dry / Wet	ISO 105-X12:2016	≥ 4	Dry: 5 . Wet: 5
Colour fastness to organic solvent	ISO 105-X05:1994	≥ 4	Colour change degree: 5 The degree of staining on the DW: 5
Colour fastness to Shampooing	ISO 18168:2015	≥ 4	Colour change degree: 4-5 The degree of staining on the DW: 5
Determination of tuft withdrawal force	ISO 4919:2012	≥ 20 N/m ²	28 N/m ²
Determination of thickness loss under dynamic loading	ISO 2094:1999	≤ %25	%18
Determination of thickness loss after prolonged, heavy static loading	ISO 3416:1986	≤ %25	%15
Mass uniformity perecentage per unit area	ISO 8543:1998	≤ %5	%1.5
flammability Test Methenamine pill test	ISIRI 3509	≤ 25 mm	18 mm
Electrical Resistance	ASTN D257	≥ 10 ¹¹ Ω	77x10 ¹¹ Ω



DAKRA & MUSCAT

CARPET NAME




CUT



PRINTED


TECHNICAL SPECIFICATION

- Structure: Cut
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: $4-12 \pm 0.5$ mm
- Pile Weight: $450-1000 \pm 50$ gr
- Total Weight: $1450-2200 \pm 50$ gr
- Structure: Loop
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: $4-5 \pm 0.5$ mm
- Pile Weight: $450-900 \pm 50$ gr
- Total Weight: $1500-2200 \pm 50$ gr




• Oman
Nizwa Hotel / Polyamide Carpet



 OPERA
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Cut
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: $4-12 \pm 0.5$ mm
- Pile Weight: $450-1000 \pm 50$ gr
- Total Weight: $1450-2200 \pm 50$ gr
- Structure: Loop
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: $4-5 \pm 0.5$ mm
- Pile Weight: $450-900 \pm 50$ gr
- Total Weight: $1500-2200 \pm 50$ gr




• Iraq
National Theater / Polyamide Carpet



 PRESTIGE
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Cut
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: $4-12 \pm 0.5$ mm
- Pile Weight: $450-1000 \pm 50$ gr
- Total Weight: $1450-2200 \pm 50$ gr
- Structure: Loop
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: $4-5 \pm 0.5$ mm
- Pile Weight: $450-900 \pm 50$ gr
- Total Weight: $1500-2200 \pm 50$ gr





GUCCI

CARPET NAME



TECHNICAL SPECIFICATION

- | | |
|-----------------------------------|-----------------------------------|
| • Structure: Cut | • Structure: Loop |
| • Pile Material: Polyamide | • Pile Material: Polyamide |
| • Gauge: 1/10 | • Gauge: 1/10 |
| • Pile Height: 4-12 ± 0.5 mm | • Pile Height: 4-5 ± 0.5 mm |
| • Pile Weight: 450-1000 ± 50 gr | • Pile Weight: 450-900 ± 50 gr |
| • Total Weight: 1450-2200 ± 50 gr | • Total Weight: 1500-2200 ± 50 gr |



• Iran
Persian Esteghlal Hotel / Polyamide Carpet



 CHANNEL
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Cut
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: $4-12 \pm 0.5$ mm
 - Pile Weight: $450-1000 \pm 50$ gr
 - Total Weight: $1450-2200 \pm 50$ gr
- Structure: Loop
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: $4-5 \pm 0.5$ mm
 - Pile Weight: $450-900 \pm 50$ gr
 - Total Weight: $1500-2200 \pm 50$ gr



• Iran
Hotel Gambroon / Polyamide Carpet





 AVENZA
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Cut
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: $4-12 \pm 0.5$ mm
- Pile Weight: $450-1000 \pm 50$ gr
- Total Weight: $1450-2200 \pm 50$ gr
- Structure: Loop
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: $4-5 \pm 0.5$ mm
- Pile Weight: $450-900 \pm 50$ gr
- Total Weight: $1500-2200 \pm 50$ gr




• Iran
Prestige Land Hotel / Polyamide Carpet



 OPUS
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Cut
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: 4-12 $\pm$ 0.5 mm
- Pile Weight: 450-1000 $\pm$ 50 gr
- Total Weight: 1450-2200 $\pm$ 50 gr
- Structure: Loop
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: 4-5 $\pm$ 0.5 mm
- Pile Weight: 450-900 $\pm$ 50 gr
- Total Weight: 1500-2200 $\pm$ 50 gr



• **Philippines**
Opus Cinema Hall / Polyamide Carpet



IHAN
CARPET NAME



CUT





PRINTED

TECHNICAL SPECIFICATION

- Structure: Cut
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: 4-12 $\pm$ 0.5 mm
- Pile Weight: 450-1000 $\pm$ 50 gr
- Total Weight: 1450-2200 $\pm$ 50 gr
- Structure: Loop
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: 4-5 $\pm$ 0.5 mm
- Pile Weight: 450-900 $\pm$ 50 gr
- Total Weight: 1500-2200 $\pm$ 50 gr



• Iran
Office / Polyamide Carpet




 AYSU PLUS
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Loop
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-5 ± 0.5 mm
 - Pile Weight: 450-900 ± 50 gr
 - Total Weight: 1500-2200 ± 50 gr
- Structure: Cut
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-12 ± 0.5 mm
 - Pile Weight: 450-1000 ± 50 gr
 - Total Weight: 1450-2200 ± 50 gr




- Iran
Office / Polyamide Carpet




 2031
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Loop
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-5 ± 0.5 mm
 - Pile Weight: 450-900 ± 50 gr
 - Total Weight: 1500-2200 ± 50 gr
- Structure: Cut
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-12 ± 0.5 mm
 - Pile Weight: 450-1000 ± 50 gr
 - Total Weight: 1450-2200 ± 50 gr



• Iran
Office / Polyamide Carpet



2032

CARPET NAME



TECHNICAL SPECIFICATION

- Structure: Loop
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-5 ± 0.5 mm
 - Pile Weight: 450-900 ± 50 gr
 - Total Weight: 1500-2200 ± 50 gr
- Structure: Cut
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-12 ± 0.5 mm
 - Pile Weight: 450-1000 ± 50 gr
 - Total Weight: 1450-2200 ± 50 gr



• Iran
Office / Polyamide Carpet



 2128
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Loop
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-5 ± 0.5 mm
 - Pile Weight: 450-900 ± 50 gr
 - Total Weight: 1500-2200 ± 50 gr
- Structure: Cut
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-12 ± 0.5 mm
 - Pile Weight: 450-1000 ± 50 gr
 - Total Weight: 1450-2200 ± 50 gr



• Iran
Office / Polyamide Carpet




 2150
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Loop
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-5 ± 0.5 mm
 - Pile Weight: 450-900 ± 50 gr
 - Total Weight: 1500-2200 ± 50 gr
- Structure: Cut
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-12 ± 0.5 mm
 - Pile Weight: 450-1000 ± 50 gr
 - Total Weight: 1450-2200 ± 50 gr



• Iran
Office / Polyamide Carpet




 2151
CARPET NAME**TECHNICAL SPECIFICATION**

- Structure: Loop
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-5 ± 0.5 mm
 - Pile Weight: 450-900 ± 50 gr
 - Total Weight: 1500-2200 ± 50 gr
- Structure: Cut
 - Pile Material: Polyamide
 - Gauge: 1/10
 - Pile Height: 4-12 ± 0.5 mm
 - Pile Weight: 450-1000 ± 50 gr
 - Total Weight: 1450-2200 ± 50 gr



• Iran
Office / Polyamide Carpet



2152

CARPET NAME



TECHNICAL SPECIFICATION

- Structure: Loop
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: 4-5 ± 0.5 mm
- Pile Weight: 450-900 ± 50 gr
- Total Weight: 1500-2200 ± 50 gr
- Structure: Cut
- Pile Material: Polyamide
- Gauge: 1/10
- Pile Height: 4-12 ± 0.5 mm
- Pile Weight: 450-1000 ± 50 gr
- Total Weight: 1450-2200 ± 50 gr



• Iran
Office / Polyamide Carpet

HOTEL & COMMERCIAL CARPET COLLECTION



Negin-E-Zayandeh Rood Bldg
1st Moshtagh Ave., Isfahan, Iran



+98 31 38350000



ZarifCarpets