




TUFTED
CATALOGUE
2026



ZarifCarpets

Tufted Loop & Cut Carpet

ABOUT US

The Apex of Tufting Technology

Your Strategic Partner in High-Performance Flooring

Total Flexibility. No Limits.

We provide a seamless supply chain designed to deliver high-performance flooring to any destination worldwide, exactly when you need it. Our approach is purely results-driven. we manufacture to your specific technical requirements, matching any price point or quality tier your market demands. Whether you are looking for high-volume, cost-efficient solutions or premium, custom engineered designs, our production capacity is fully adaptable to your business model.

Advanced Technology, Tailored to Your Needs

By utilizing state of the art European machinery including German, Belgian, American and, Italian technologies we have removed all technical barriers in carpet production. Our in-house fiber extrusion and advanced printing systems allow us to customize pile height, density, and design with surgical precision. Tell us your target price and your project's technical needs, we have the technology and the integrated supply chain to build the exact product that fits your portfolio.

Tufted Loop & Cut Carpet

CONTENTS

02 About Us

07 Tufted Cut Pile

- 07 Istanbul, Noyan, Royal
- 08 Brighton
- 09 Royal Classic, Sydney, Marina Plus
- 10 Hermes, Elegance, Atlantis
- 11 Shayli, Unique, Beauty
- 12 Derakhshan, Exellent, Nice
- 13 Iris

14 Tufted Cut Pile (Printed)

- 15 Nahal, Termo, Haraz Pro, Paris Plus
- 16 Nikan, Kian, Violet, Opal
- 17 Narika, Nexa, Avana, Raya

04 Tufted Loop Pile

- 04 Babillon, Babillon Pro, Raha
- 05 Aten, Montreal, Paris Plus
- 06 Porto, Vegas Pro


18 Commercial (Printed)

- 20 Prestige, Gucci, Chanel, Avenza
- 21 Ihan, Aysu Plus, 2031 ,2032


24 Contact Us




51141



51154



51152



51187

Tufted Loop Carpet

BABILLON



TECHNICAL SPECIFICATION

Structure: Loop

Pile Material: Polypropylene

Gauge: 1/10

Type: Solution Dyed


Pile High: 4±0.5 mm

Pile Weight: 280±50 gr/m²


Total Weight: 1350±100 gr/m²

Total Thickness: 7±0.5 mm


Width: Up to 400 cm




50132



50134



50154



50155

Tufted Loop Carpet

BABILLON PRO



TECHNICAL SPECIFICATION

Structure: Loop

Pile Material: Polyester

Gauge: 1/10

Type: Solution Dyed


Pile High: 3±0.5 mm

Pile Weight: 190±50 gr/m²


Total Weight: 1260±100 gr/m²

Total Thickness: 7±0.5 mm

Width: Up to 400 cm



7011



7050



7041

Tufted Loop Carpet

RAHA



TECHNICAL SPECIFICATION

Structure: Loop

Pile Material: Polypropylene

Gauge: 1/10

Type: Solution Dyed


Pile High: 4±0.5 mm

Pile Weight: 400±50 gr/m²


Total Weight: 1600±100 gr/m²

Total Thickness: 7±0.5 mm

Width: Up to 400 cm




8403




8402



8404



8405



8406

Tufted Loop Carpet

ATEN

TECHNICAL SPECIFICATION

Structure: Loop

Pile Material: Polypropylene

Gauge: 1/10

Type: Solution Dyed


Pile High: 4±0.5 mm

Pile Weight: 530±50 gr/m2


Total Weight: 1740±100 gr/m2

Total Thickness: 7±0.5 mm


Width: Up to 400 cm



3901



3922



3927

Tufted Loop Carpet

MONTREAL

TECHNICAL SPECIFICATION

Structure: Loop

Pile Material: Polypropylene

Gauge: 5/32

Type: Solution Dyed

Pile High: 4±0.5 mm

Pile Weight: 680±50 gr/m2


Total Weight: 1975±100 gr/m2

Total Thickness: 8±0.5 mm


Width: Up to 400 cm



7106



7105



7108

Tufted Loop Carpet

PARIS PLUS

TECHNICAL SPECIFICATION

Structure: Loop

Pile Material: Polypropylene

Gauge: 5/16

Type: Solution Dyed


Pile High: 6±0.5 mm

Pile Weight: 700±50 gr/m2


Total Weight: 2350±100 gr/m2

Total Thickness: 9±0.5 mm


Width: Up to 400 cm



1041



1024



1022



1067

Tufted Loop Carpet

PORTO

TECHNICAL SPECIFICATION

Structure: Loop

Pile Material: Polyester

Gauge: 1/10

Type: Solution Dyed


Pile High: 3±0.5 mm

Pile Weight: 290±50 gr/m²

Total Weight: 1380±100 gr/m²

Total Thickness: 7±0.5 mm


Width: Up to 400 cm




8602



8601



8604



8605

Tufted Loop Carpet

VEGAS PRO

TECHNICAL SPECIFICATION

Structure: Loop

Pile Material: Polyester

Gauge: 1/10

Type: Solution Dyed

Pile High: 3.5±0.5 mm

Pile Weight: 290±50 gr/m²

Total Weight: 1380±100 gr/m²

Total Thickness: 7.5±0.5 mm


Width: Up to 400 cm



72252



72241



72286



Tufted Cut Carpet ISTANBUL



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 1/10

Type: Solution Dyed

Pile High: 6±0.5 mm

Pile Weight: 650±50 gr/m²

Total Weight: 1660±100 gr/m²

Total Thickness: 10±0.5 mm

Width: Up to 400 cm

7544



7512




7526



7524



7527



7550



Tufted Cut Carpet NOYAN



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 5/32

Type: Solution Dyed

Pile High: 6±0.5 mm


Pile Weight: 600±50 gr/m²

Total Weight: 1595±100 gr/m²

Total Thickness: 10±0.5 mm

Width: Up to 400 cm


5141



5110




5113



5121



5162



Tufted Cut Carpet ROYAL



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 1/8

Type: Solution Dyed


Pile High: 9±0.5 mm

Pile Weight: 850±50 gr/m²

Total Weight: 1895±100 gr/m²

Total Thickness: 13±0.5 mm

Width: Up to 400 cm



Tufted Cut Carpet **BRIGHTON**



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 5/32

Type: Solution Dyed

Pile High: 18±0.5 mm



Pile Weight: 1300±50 gr/m²

Total Weight: 2295±100 gr/m²

Total Thickness: 21±0.5 mm

Width: Up to 400 cm





Tufted Cut Carpet
ROYAL CLASSIC



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 1/8

Type: Solution Dyed


Pile High: 9±0.5 mm

Pile Weight: 850±50 gr/m²

Total Weight: 1895±100 gr/m²

Total Thickness: 13±0.5 mm

Width: Up to 400 cm



Tufted Cut Carpet
SYDNEY



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 5/32

Type: Solution Dyed



Pile High: 18±0.5 mm

Pile Weight: 1200±50 gr/m²

Total Weight: 2395±100 gr/m²

Total Thickness: 21±0.5 mm

Width: Up to 400 cm



Tufted Cut Carpet
MARINA PLUS



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 5/32

Type: Solution Dyed

Pile High: 9±0.5 mm

Pile Weight: 780±50 gr/m²

Total Weight: 1875±100 gr/m²

Total Thickness: 12±0.5 mm

Width: Up to 400 cm




5501

5503



5512



5542



5548



Tufted Cut Carpet

HERMES



CUT



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 1/10

Type: Solution Dyed


Pile High: 18±0.5 mm

Pile Weight: 2000±50 gr/m²

Total Weight: 2845±100 gr/m²

Total Thickness: 21±0.5 mm

Width: Up to 300 cm



6742

6710



6714



6744



Tufted Cut Carpet

ELEGANCE



CUT



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polyester

Gauge: 3/16

Type: Solution Dyed

Pile High: 35±0.5 mm

Pile Weight: 1300±50 gr/m²

Total Weight: 2450±100 gr/m²

Total Thickness: 35±0.5 mm

Width: Up to 400 cm




3601

2622



2642



2644



Tufted Cut Carpet

ATLANTIS



CUT



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polyester

Gauge: 1/10

Type: Solution Dyed

Pile High: 4±0.5 mm

Pile Weight: 400±50 gr/m²

Total Weight: 1295±100 gr/m²

Total Thickness: 8±0.5 mm

Width: Up to 400 cm

4202



4201



Tufted Cut Carpet

SHAYLI

TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 5/16

Type: Solution Dyed

Pile High: 35±0.5 mm


Pile Weight: 1700±50 gr/m2

Total Weight: 2845±100 gr/m2

Total Thickness: 38±0.5 mm

Width: Up to 400 cm


4319



4311



4312



Tufted Cut Carpet

UNIQUE

TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polyester

Gauge: 1/10

Type: Solution Dyed

Pile High: 18±0.5 mm

Pile Weight: 2100±50 gr/m2

Total Weight: 2950±100 gr/m2

Total Thickness: 20±0.5 mm

Width: Up to 300 cm

5941



5942



5919



5918



5912



Tufted Cut Carpet

BEUTY

TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polyester

Gauge: 1/10

Type: Solution Dyed

Pile High: 9±0.5 mm


Pile Weight: 900±50 gr/m2

Total Weight: 1870±100 gr/m2

Total Thickness: 11±0.5 mm

Width: Up to 300 cm

73232



73201



73254



Tufted Cut Carpet

DERAKHSHAN


CUT


TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polyester

Gauge: 1/10

Type: Solution Dyed

Pile High: 9±0.5 mm

Pile Weight: 750±50 gr/m²

Total Weight: 1445±100 gr/m²

Total Thickness: 13±0.5 mm

Width: Up to 400 cm

COMING SOON ...

Tufted Cut Carpet

EXELLENT


CUT


TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polyester

Gauge: 1/8

Type: Solution Dyed

Pile High: 18±0.5 mm

Pile Weight: 2100±50 gr/m²

Total Weight: 2950±100 gr/m²

Total Thickness: 20±0.5 mm

Width: Up to 400 cm

COMING SOON ...

Tufted Cut Carpet

NICE


CUT


TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polyester

Gauge: 1/8

Type: Solution Dyed

Pile High: 9±0.5 mm

Pile Weight: 900±50 gr/m²

Total Weight: 1870±100 gr/m²

Total Thickness: 11±0.5 mm

Width: Up to 400 cm



7701



7702



7703

Tufted Cut Carpet IRIS



CUT



TECHNICAL SPECIFICATION

Structure: Cut

Pile Material: Polypropylene

Gauge: 3/16

Type: Solution Dyed

Pile High: 9±0.5 mm

Pile Weight: 850±50 gr/m²

Total Weight: 2245±100 gr/m²

Total Thickness: 12±0.5 mm

Width: Up to 400 cm



PRINTED TUFTED POLYESTER CARPETS

Zarif Printed Tufted Carpets are manufactured using premium-quality Polyester (PES/PET) yarns, selected to provide softness, durability, dimensional stability, and long-term performance. Polyester fibers offer excellent color brilliance, stain resistance, low moisture absorption, and strong resistance to fading, making them suitable for modern hospitality and commercial flooring applications.

A wide range of pile constructions, textures, pile heights, and color combinations can be developed to meet different project requirements. Zarif printed carpets can be tailored for elegant hotel interiors, contemporary offices, luxurious guestrooms, and distinctive public spaces, matching specific architectural and interior design concepts.

In addition to their aesthetic appeal, these carpets provide soft walking comfort, good resilience, easy maintenance, stain resistance, and reliable performance in light-to-medium-traffic environments. They are suitable for hotel guestrooms, suites, corridors, lounges, restaurants, conference halls, offices, retail spaces, educational facilities, healthcare environments, and similar commercial applications.

Technical Data Sheet	
Fiber	Polyester (PES)
Construction	Tufted (Cut)
Pile Height	6 - 9 ± 0.5 mm
Pile Weight	600 - 800 ± 50 gr
Total Weight	1650 - 1950 ± 50 gr
Gauge	5/32
Backing	100-500 gr (PA, PES, PP)*
Finishing	Felt PES

* Backing PA: Recommended

Technical Data Sheet	
Fiber	Polyester (PES)
Construction	Tufted (Loop)
Pile Height	3.5 ± 0.5 mm
Pile Weight	270 ± 50 gr
Total Weight	1215 ± 50 gr
Gauge	1/10
Backing	100-500 gr (PA, PES, PP)*
Finishing	Felt PES

* Backing PA: Recommended

Tufted Cut Carpet

NAHAL



CUT




PRINTED



FIRE RESISTANT



TUFTED CUT



8022

8062

Tufted Cut Carpet

TERMO



CUT



PRINTED



FIRE RESISTANT



TUFTED CUT



3741

3711

3721

3724

Tufted Cut Carpet

HARAZ



CUT



PRINTED



FIRE RESISTANT



TUFTED CUT



5341

5319

Tufted Cut Carpet

PARMIS



CUT



PRINTED



FIRE RESISTANT



TUFTED CUT



8542

8511

8522

Tufted Cut Carpet

NIKAN



3841




3822




3821

Tufted Cut Carpet


KIYAN



65452



65431



65489

Tufted Cut Carpet

VIOLET



4441



4411



4421



4424

Tufted Cut Carpet

OPAL



8542



8511



8522

Tufted Cut Carpet

NARIKA



CUT



PRINTED



3741



3722



3721

Tufted Cut Carpet


NEXA




LOOP



PRINTED



3741



3711



3721

Tufted Cut Carpet

AVANA



LOOP



PRINTED



5341



5325



5322

Tufted Cut Carpet

RAYA



LOOP



PRINTED



8542



8511



8522

MATERIAL & CONSTRUCTION

Zarif hotel and commercial carpets are manufactured using **Polyamide (PA / Nylon) fibers**, internationally recognized as the optimal material for high-traffic environments.

Polyamide fibers provide **superior abrasion resistance, resilience, and long-term appearance retention**, ensuring consistent performance throughout the lifecycle of the carpet.

Zarif carpets are engineered to address the primary technical concerns of **architects, interior designers, and hotel operators**, balancing design intent with operational reliability.

Key technical considerations for hospitality and commercial carpets include **fire performance, durability, dimensional stability, acoustic behavior, and maintenance efficiency**.

Technical Data Sheet	
Fiber	Polyamide (PA)
Construction	Tufted (Cut)
Pile Height	4 - 12 ± 0.5 mm
Pile Weight	450 - 1000 ± 50 gr
Total Weight	1450 - 2200 ± 50 gr
Gauge	1/10
Finishing	Felt PA or Felt PES
Density	Optimized for Heavy Traffic

Technical Data Sheet	
Fiber	Polyamide (PA)
Construction	Tufted (Loop)
Pile Height	4 - 5 ± 0.5 mm
Pile Weight	450 - 900 ± 50 gr
Total Weight	1500 - 2200 ± 50 gr
Gauge	1/10
Finishing	Felt PA or Felt PES
Density	Optimized for Heavy Traffic

Fire Performance

Zarif carpets are produced with flame-retardant characteristics, making them suitable for hotel and commercial environments where fire safety regulations and compliance requirements are critical.

Standard Collection

A durable, high-performance carpet collection designed for high-traffic commercial spaces. Made with polyamide fibers, it offers a refined look, strong abrasion resistance, certified flame retardancy, and electrostatic control.

Characteristic	Reference Standard No.	Acceptance Range	Test Result
Composition Testing	ISO/TR 11827:2012	-	Pile fibers: 100% polyamide Background fabric: 100% Polyamide Weaving fabric Coating layer: 100% Polyester non-woven fabric
Determination of total mass per unit area	ISO 8543:1998	-	16000±50 gr/m ²
Determination of total thickness	ISO 24340:2006	-	9.5 mm
Determination of number of tufts and or loops per unit area	ISO 1763:2020	-	200000 (STICH 50)
Determine the height of the fluf above the background	ISIRI 1143	-	6 mm
Determination of total pile mass per unit area	ISO 8543:1998	-	600 gr/m ²
Colour fastness to washing with soap	ISO -105C10:2006	≥ 4	Colour change degree: 4-5 The degree of staining on the DW: 5
Colour fastness to artificial light (Xenon arc fading lamp test)	ISO -105B02:2013	≥ 4	5
Colour fastness to rubbing: Dry / Wet	ISO -105X12:2016	≥ 4	Dry: 5 . Wet: 5
Colour fastness to organic solvent	ISO -105X05:1994	≥ 4	Colour change degree: 5 The degree of staining on the DW: 5
Colour fastness to Shampooing	ISO 18168:2015	≥ 4	Colour change degree: 4-5 The degree of staining on the DW: 5
Determination of tuft withdrawal force	ISO 4919:2012	≥ 20 N/m ²	28 N/m ²
Determination of thickness loss under dynamic loading	ISO 2094:1999	≤ 25%	%18
Determination of thickness loss after prolonged, heavy static loading	ISO 3416:1986	≤ 25%	%15
Mass uniformity perecentage per unit area	ISO 8543:1998	≤ 5%	%1.5
flammability Test Methenamine pill test	ISIRI 3509	≤ 25 mm	18 mm
Electrical Resistance	ASTN D257	≥ 1011 Ω	77x1011 Ω

Tufted Cut Carpet
PRESTIGE



Tufted Cut Carpet
GUCCI



Tufted Cut Carpet
CHANNEL



Tufted Cut Carpet
AVENZA



Tufted Cut Carpet

IHAN



CUT



PRINTED



6541


Tufted Cut Carpet
AYSU PLUS



LOOP



PRINTED



7448



7444



7424

Tufted Cut Carpet


2031



LOOP



PRINTED



Tufted Cut Carpet
2032



LOOP



PRINTED





We export world wide just tell us what
you need, where you need it, when
you need it, and in what quantity.

FROM
CONCEPT
TO
DESTINATION
TELL
US
YOUR
REQUIREMENTS,
AND
WE DELIVER
WITHOUT
LIMITS.



ZarifCarpets

CONTACT US

 Negin-E-Zayandeh Rood Bldg
1St Moshtagh Ave., Isfahan, Iran

 +98 31 38350000

 +98 913 447 4359

 zarifcarpetsarabic (Arabic)

 zarifcarpetexport

 zarifmosavar (Afghanistan)

 zarif-carpets

